



P.O. Box 1350, LARGO, FLORIDA 33779-1350
(727) 530-4521 Fax (727) 531-0596
(800) 741-6507 (941) 362-0486
EF20001347 FPC1 50901100012004
www.cfcsystems.com

Via Email

Submitted Date: 03/31/17

Proposal # OI-4114

Proposal

Customer Name

Cory Lake Community Development
10441 Cory Lake Drive
TAMPA, FL 33647

Phone: (813) 986-1031 Fax: (813) 986-1056
ATTN: JOHN HALL

Email: clcddfm@corylakescdd.net

Job Name

Cory Lake Community Development
10441 Cory Lake Drive
Tampa, FL 33647

Phone: (813) 986-1031 Fax: (813) 986-1056

We submit the following proposal to you in confidence, not to be disclosed without prior written consent, to perform the work in the following plans and specifications. This proposal may be withdrawn if not accepted in 30 days.

Drawing Date: None

Specification Sections: None

Addendum # None

Provide and install fire alarm system for club house per NFPA 101.

Specifically Included in this Proposal:

Drawings
Engineer's Stamps
Equipment Submittals
Installation of Wire and Equipment
Permit
Tax
Wire
Installation of boxes

Specifically Excluded in this Proposal

120-Volt Power
Additional devices required by local authority
Additional devices required by owner
Patching and painting
Raceway or Wiremold

The Sum of: \$16,889.00 *Sixteen Thousand Eight Hundred Eighty Nine Dollars And No Cents*

For value received and other considerations, the seller agrees with the buyer to provide the buyer with the listed products in accordance with the terms and conditions of this proposal. Cancellation of proposal after acceptance will be billed for restocking fee for materials and labor charges for work performed through date of cancellation.

Terms: Progress payments

Options Selected _____

Signature _____

Printed Name _____

Date of Acceptance _____ **PO #** _____

Submitted by:

Olev Isak
Sales & Estimating
olevi@cfcsystems.com



P.O. Box 1350, LARGO, FLORIDA 33779-1350
(727) 530-4521 Fax (727) 531-0596
(800) 741-6507 (941) 362-0486
EF20001347 FPC1 50901100012004
www.cfcsystems.com

Via Email

Submitted Date: 03/31/17

Proposal # OI-4114

Attachment A

Cory Lake Community Development

Fire alarm installation includes the following

- 1 – Kidde VS4-GD control panel
- 1 – Remote Annunciator
- 2 – Batteries
- 1 – 120 VAC Surge
- 1 – Starlink Cellular Communicator
- 9 – Manual Stations
- 9 – Smoke Detectors
- 2 – Heat Detectors
- 1 – Hood/Ansual Monitor Module
- 2 – Relays for AHU Shut-down
- 4 – AHU Shut-down Relays
- 1 – Voice E-vac System
- 11 – Speaker/Strobes
- 2 – Strobes

Lot wire and hardware for installation.

Duct smoke detectors are excluded from quote. Duct smokes are required for AHU's over 2000CFM or over 5 Ton units.

Monitoring of the system will be \$525.00 per year via Cellular communicator.

Estimated cost for electrician to run power and add breaker is around \$600.00. Not included in price.